

Received 8/28/2025

9:00am

Tonya Hogan, TC



Water Pollution Control Authority (WPCA)

Notice of Regular Meeting / Public Hearing

Wednesday, September 3, 2025

6:00 pm

Community Center, Room 2

405 Main Street, Middlefield, Connecticut

AGENDA

1. Call to Order
2. Roll Call
3. Approval of Agenda
4. Approval of Minutes: Regular Meeting of June 4, 2025.
5. Public Hearing to consider the Middlefield WPCA's proposed sewer use charges for the Lake Beseck Sewer area of \$800.00 per EDU (Equivalent Dwelling Unit) effective October 1, 2025, payable at \$400.00 semi-annually in October and April.
6. Public Comment
7. Old Business
 - 24 Massasoit Road: the sewer lateral was disconnected on April 2. The structure (cottage) has been demolished.
 - 32 Merrimack Road: pending connection to the public sewer. The sewer assessment (\$15,223.38), the connection fee (\$750.00), and the sewer permit fee (\$25.00) have been paid.
 - 43 Lake Shore Drive: the sewer lateral was disconnected on March 14. The structure (house) has been demolished.
 - Update: STEAP Grant for wastewater infrastructure improvements.
8. New Business
9. Report of System Repairs
10. Adjourn

Submitted by

Gregory P. Makuch

WPCA Chairman

